







GG68-00405E 03/10. Rev.1.0

English Manual

Safety Precautions

The following is to ensure the user's safety and to minimize potential damages. Carefully read the following guidelines and use in accordance with the instructions.







When you see this sign, it indicates a warning that something can cause death or serious injury.



When you see this sign, it indicates a warning that something can cause minor injury or product damage.



Warning

Do not use damaged power lines or loose plugs.

• It can cause electric shock or fire.



Do not disassemble or repair.

• It can cause electric shock, fire or

injury.
If it needs repairing, please contact our local service center.



If there is dust or water on the power plug, wipe it off with a dry cloth.

• Do not use water, as it can cause electric shock or fire.



Never pull out the power plug by pulling the line or when your hands are wet.

• It can cause electric shock or fire.



Do not fold the power line or leave it under heavy objects.

• It can cause electric shock or fire.



This product is for 220V only. Do not use for any other voltages.

• It can cause electric shock or fire.



Use only the designated adapter.

It can cause fire.



Always disconnect the Phone Jack

① first before disconnecting the DC

Power Jack ② of the adapter

from the phone.

It can electric shock.



Always disconnect from the power supply when cleaning. Do not spray water and do not use benzene, thinner or any other alcohol while cleaning the phone.

It can cause electric shock or fire.



Do not pour water or any liquid on the phone.

• It can cause electric shock or fire.



If you hear any weird or unusual noises or smell anything weird, immediately disconnect the power line and call the service center.

• It can cause electric shock or fire.



Do not dispose batteries into

• It can cause an explosion.




Overview of Major Features •




WIDE 900 MHz Phone

 Here are some instructions concerning various functions of the phone. Base set: Phone directory (20 phone numbers), recent calls (10 calls).
Remote set: Phone directory (10 phone numbers), recent calls (10 calls).
The phone directory is saved separately from the recent call function and the base set and the remote set are controlled separately.

Base Set





Reference

Table of Contents •



Preparation & Installation

Safety precautions —	1
Overview of major features ————	3
Table of contents / Components ———	5
Product information ————	7
Phone installation —————	9

Basic Features

Making calls — 13
Answering calls — 14
Date / Time setting — 15
Using the intercom function ——— 17
Transferring calls — 18
Changing the ringing melody and adjusting the voice volume 20
Morning call / alarm setting — 22
Using the phone directory ——— 23

Convenient features

Convenient features for making calls		
Redialing the recently dialed number ———	28	
Deleting the recently dialed number ———	28	
Blocking a user from making long distance calls —	29	
Dialing another number after a call (Flash) $-$	29	
Pause function ——————	30	



Help functions

Selecting Pulse / Tone Dial Type ———	30
Noise reduction ————	31
Out of range warning —	3
Low voltage warning —	3
Adjusting the Flash Time ————	3
Initializing the phone ————	32
Registering the remote set —	33

Reference

Troubleshooting —	35
How to Clean —	37
Product Specifications ————	38

Components



Base set



Base adapter (DC 12V 500mA)



Phone line cord



Remote set



Charger



Charger Adapter (DC 12V 500mA)



Battery (DC 3.6V 450mAh)




User's manual





Warranty card

- Please check the components.
- In case there is a problem with the components, please contact a retail shop where you made your purchase.

Product Introduction











Phone Installation



- When you have finished installing the base set, press "On Hook" button and check for a dial tone.
- If you cannot hear a dial tone, then check both the power and phone line connections.
- This product works for 220V.



- Place the remote set on the charger and check if the lamplight is on.
- Press the call button and check for a dial tone.
- If you cannot hear the tone, check the installation.





- If it does not turn on when you press O button, then you probably need to recharge the remote set. It should then automatically turn on. Please recharge the battery for 24 hours before using it.
- If you do not charge the battery for at least 6 hours, then in order to protect it, the battery must be fully charged or it will stop operating.
- To turn off the power: Press ^{Φ/KAHAΠ} buttons (hold for more than 3 seconds) until you hear the beeping sound.



Loading the battery to the remote set

1 battery cover. 2 battery as

shown in the picture.

Rearrange the the battery as shown in the picture.

Close the line by setting 4 battery cover.











456

789

*****0#

O O O O

How to use the battery

- Charge the battery for approximately 24 hours before using.
- Always remove the battery from the remote set, when you are not using it for an extended period.
- It is best to charge the battery until you see the () sign on the screen.





Battery life



- The battery life has a 6-month warranty after
- As time goes by, there will be a reduction in the battery's power. When battery's power capacity is reduced by half, purchase a new battery and replace it.
- Please contact your local Samsung Electronics Service Center on how to purchase and replace the battery.








Making Calls

Answering Calls •



Making a Call with the Base Set




- You can switch from pulse to tone mode by pressing button during dialing.
- If you have incorrectly dialed the number in standby mode, you can delete a digit by pressing button and then pick up the handset or press 'On Hook' button.

What is "On Hook Dialing"?

→ It is a very convenient feature. With it, you can first dial the number you want to call and then pick up the handset to talk to the caller after identifying his/her voice through the speaker. (NB. If you don't pick up the handset, the other side can't hear you.)

Making a Call with the Remote Set




- You can switch from pulse to tone mode by pressing (**) button during dialing.
- You can dial the number before pressing (NATORIO) button.
- If you have incorrectly dialed the number in standby mode, you can delete a digit by pressing button and then press button.



Answering a Call with the Base Set








Answering a Call with the Remote Set






Date/Time Setting


- You need to setup the Date/Time feature in order to see the current time and to use the Morning Call/Alarm function.
- Only the hour and minute setting is available on the base set.



Setting up the Base Set







Note

In the case of a power failure or if you have deliberately disconnected the power, the date and time will be erased. Therefore you will have to set it up once again.


Using the Intercom Function •

 Separating from external calls, you can use intercom function between the base set and the remote set. In this particular case the calls are not charged.

Transferring Calls •


• While talking you can transfer the call either to the base set or to the remote set.






• In order to cancel the intercom during any call, simply press outline, or lift up the handset and place it back on the hook.





• In order to cancel the intercom during any call, simply press or button, or place the remote set on the charger.

When an external call comes during an intercom talk,
 To answer by the base set → Press button on the remote set to hang up the call
 To answer by the remote set → simply place the handset of the base set on its cradle to transfer the call.




• To cancel the transferring, simply pick up the handset.

Transferring Calls (continued)



Transferring from b to






To cancel the transferring, simply press button.

Changing the Ringing Melody and Adjusting the Voice Volume

You can adjust the type and volume of ring tone melodies as you please.




Selecting the Ringing Melody



Note • "bELL @FF" - Silence.

Adjusting the Ring Volume


Adjusting Speaker / Voice Volume




Changing the Ringing Melody and Adjusting the Voice Volume (continued)


Remote Set

Selecting the Ringing Melody






Adjusting the Ring Volume



Adjusting the Voice Volume




Morning Call/Alarm Setting

- First, set the current time (see page 15 for more details)
- You can only setup the morning call/alarm on the base set.
- When you set the morning call/alarm, it will give you a wakeup call at a certain time.



Setting the Time on the Base Set



Note

• When you set the Morning call/alarm, it will automatically be enabled.

Wait!

- When you set up your wakeup time, the morning call/alarm is enabled. It will ring for up to 10 minutes.
- When the morning call/alarm is ringing, if you want to turn it off, simply press any button on the base set or lift up and then put down the handset back on to the cradle.
 Or press the call button on the remote set.

Setting or Canceling the Morning Call /Alarm

When you cancel and reset the morning call/alarm, the time that was last set beforehand will be effective.

In standby mode, you can toggle between setting and canceling using when it is active, the screen of the phone displays an icon.

The standby mode, you can toggle between setting and canceling using when it is active, the screen of the phone displays an icon.

When it is active, the screen when the screen of the phone displays an icon.

When the Morning call/alarm is enabled


The selected

phone number


has been erased.

Using the Phone Directory


• You can register up to 20 phone numbers on the base set.








• When the searching phone number has more than 12 digits, you can use (c) button to identify the rest of the number that is not displayed.



FPOMK./CTEPETЬ



button and select


the phone number you want

• To cancel the deleting, simply press on button

Press > CINCON button.


Using the Phone Directory (continued)

• You can register up to 10 phone numbers in the remote set.





• When the searching phone number has more than 12 digits, you can use **** button to identify the rest of the number that is not displayed.



• To cancel the deleting, simply press (button.

Convenient Features for Making Calls



You can call the recently dialed numbers without redialing by yourself.

Convenient Features

■ Convenient features for making calls —— 28

Redialing the recently dialed number

Deleting the recently dialed number

Blocking a user from making long distance calls

Dialing another number after a call (Flash)

■ Help functions — 3

Pause function

Selecting Pulse / Tone Dial Type

Noise reduction


Out of range warning

Low voltage warning


Adjusting the flash time


Initializing the phone

Registering the remote set




- The most recent numbers are stored in the memory (up to 10 numbers).
- Press button of the base set in stand-by mode and pick up the handset to call the last dialed number.
- Press HER HOUSE (button of the remote set in stand-by mode and press (button to call the last dialed number.





Base Set









 When the restriction function is enabled, you can make a (long distance) call with the base set. However, when you dial eight first on the remote set, it will return to standby mode instead of sending a call.




You can make another call without hanging up after a call.






· See page 31 for selecting the flash time.



by using an external switch number (mainly 9).




You can select from pulse and tone dial type.






- The pulse dial is originally set. ▼: Pulse Dial, ▲: Tone Dial
- You can change the dial type only from the base set.

When there is a lot of noise, or when the call has a bad connection, you can use this function to reduce irrelevant noise by changing channels.






This prevents a remote set from being disconnected from the base set.






When the battery voltage of the remote set falls below a certain level, a warning is given.





You can adjust the flash time.






• You can select the range of the flash time from 0.1 to 1.0 seconds.


Help Functions



This is to initialize the phone to its original condition.




Default or Initial State of the Phone



Help Functions





Note

When registering the remote set, the number of the base set and the remote set must be identical. In addition, it is recommended that you register the remote set right after registering the base set.

Reference

■ Troubleshooting ————	35
■ How to Clean ————	37
■ Product Specifications ———	38



Troubleshooting



The phone does not work at all.

- Is the phone correctly installed? (Refer to page 9)
- Is the power correctly connected to the appropriate voltage? (Refer to page 9)
- Check if the batteries are correctly inserted to the remote set. (Refer to page 10)
- Check if the batteries are adequately charged. (Refer to page 10)
- Check if the power is on. (Refer to page 9)

I cannot hear the tone when I press button.

- Check if the phone is correctly connected.
 (Refer to page 9)
- Check if the power is correctly connected.
 (Refer to page 9)

The morning call/alarm does not work.

- Check if the current time is accurately set.
 (Refer to page 15)
- Check if the morning call time is set.
 (Refer to page 22)
- Check if the morning call/alarm function is set. (Refer to page 22)

I hear many noises while using the remote set.

- Press DIKAHANI button to reduce the noise.
 (Refer to page 31)
- Check if the distance is too far from the base set.

 (Refer to page 31)
- Try installing the base set at a different location.

I hear beeping warning sounds in the remote set.

- Check if the base set is currently in use. Try again after the call in the base set has been hung up.
- Check to see if you are too far away from the base set. If yes, move closer toward the base set. (Refer to page 31)
- If you see the - mark on the screen, hang up the phone and adequately charge your remote set. (Refer to page 31)

Internal or transferring calls are not working.

- Check if you have installed the phone correctly. (Refer to page 9)
- Try re-registering the remote set to the base set.
 (Refer to page 33)

The phone does not ring in the base set or the remote set.


- Check if the batteries are correctly inserted.
 (Refer to page 10)
- Check if the batteries are adequately charged.
 (Refer to page 10)
- Check if the power of the remote set is on. (Refer to page 9)
- Try re-registering the remote set to the base set.
 (Refer to page 33)
- Check if the BELL OFF is selected. (Refer to page 21)

I cannot recharge the remote set.

- Check if the charging connector is clean.
- If the charging connector is not clean, use a cotton tip or an eraser to wipe it clean.
 (Refer to page 37)
- Check if the power voltage is appropriate. (Refer to page 9)
- If you have cleaned the charging connector but it still does not work, then please contact your local service center and purchase new batteries.
 (Refer to page 10)



 When there is a problem with radio communication between the base set and the remote set, do the following, and if it still will not work, then please contact your local Samsung Electronics Service Center.



* See page 33 for registering a remote set

How to Clean


Product Specifications

When cleaning the outer side of the phone.

Apply neutral washer liquid and wipe it with a cloth.

• Do not use benzene, thinner, etc.





When cleaning remote set Frequently wipe the charging connector.




Model name: SP-C700R

Classification	Unit	Remote Set	Base Set	Charger
Dower	V	DC 3.6 V, 450 mAh	DC 12 V, 500 mA	DC 12 V, 500 mA
Power		Rechargeable battery for 220V		
Output	mW	Below 10		
Frequency	kHz	Below 16		
Receiving sensitivity	μN	Below 2		
Usage time for remote set	Hours	Stand by: over 20, Call: over 3		
Operating temperature	ဇ	-10 ~ +40		
Operating humidity	%	5 ~ 90		
Weight	g	138	513	122
Dimension (length*width*height)	mm	214×46×23	233×130×57	130×76×75

ИНФОРМАЦИЯ О СЕРТИФИКАЦИИ ПРОДУКЦИИ Абонентская радиостанция носимая стандарта 900 mHz SP-C700R производства фирмы Samsung Electronics Co., Ltd. сертифицирована органом по сертификации "Ростест-Москва"

Сертификат соответствия:	Nº POCC KR, AЯ46, B64675
Сертификат соответствия выдан :	29.09.2003 г.
Сертификат соответствия действителен до:	29.09.2006 г.
Абонентские радиостанции носимые типа	ГОСТ Р 51287-99
	ГОСТ 30428-96,
SP-C700R	ГОСТ Р 51318.22-99 (класс Б)
	ГОСТ Р 50932-96 (гр.1)
соответствуют требованиям нормативных	ГОСТ Р 51318,24-99
документов:	ГОСТ Р 50932-96





Срок службы:7 лет

Изготовитель:

Samsung Electronics Co., Ltd. Самсунг Электроникс Ко.Лтд.

Адрес:

9th FI., Samsung Main Building.Корея, Сеул, Самсунг Мейн Билдинг,250, 2-Ka, Taepyung-Ro, Chung-Ku, Seoul, Korea250, 2-Ka, Таепунг-Ро, Чунг-Ку

MEMO

